



**Harris Teeter**  
YOUR NEIGHBORHOOD MARKET

# Harris Teeter 214 Transportation Carrier Shipment Status Message

X12/V4010/214 : 214 Transportation Carrier Shipment Status Message

<b>Author:</b>	The Kroger Co.
<b>Company:</b>	Kroger
<b>Modified:</b>	12/15/2025

# Notes

Harris Teeter Freight EDI IDs:

ISA ID: 3145922045HT

ISA Qualifier: 12

GS ID: 047279351

# 214 Transportation Carrier Shipment Status Message

## Functional Group=QM

**Purpose:** This Draft Standard for Trial Use contains the format and establishes the data contents of the Transportation Carrier Shipment Status Message Transaction Set (214) for use within the context of an Electronic Data Interchange (EDI) environment. This transaction set can be used by a transportation carrier to provide shippers, consignees, and their agents with the status of shipments in terms of dates, times, locations, route, identifying numbers, and conveyance.

### Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>
010	ST	Transaction Set Header	M	1		
020	B10	Beginning Segment for Transportation Carrier Shipment Status Message	M	1		
<b>LOOP ID - 0100</b>					<b>10</b>	
050	N1	Name	O	1		
<b>LOOP ID - 0200</b>					<b>999999</b>	
130	LX	Assigned Number	O	1		
<b>LOOP ID - 0205</b>					<b>10</b>	
140	AT7	Shipment Status Details	O	1		
610	SE	Transaction Set Trailer	M	1		

### Data Sample:

```
ST*214*1000~
B10*NONE*624158*RCXB~
N1*SH*HARRIS TEETER*9*0472793510001~
LX*1~
AT7*CD*NS***20251122~
SE*6*1000~
```

# ST Transaction Set Header

Pos: 010	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**Purpose:** To indicate the start of a transaction set and to assign a control number

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
ST01	143	<b>Transaction Set Identifier Code</b>	M	ID	3/3	Must use
<b>Description:</b> Code uniquely identifying a Transaction Set						
<b>Code Name</b>						
214 Transportation Carrier Shipment Status Message						
ST02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set						

## Data Sample:

ST\*214\*1000~

# B10 Beginning Segment for Transportation Carrier Shipment Status Message

Pos: 020	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 3

**Purpose:** To transmit identifying numbers and other basic data relating to the transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
B1001	127	<b>Reference Identification</b>	X	AN	1/30	Used
		<b>Description:</b> Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier				
B1002	145	<b>Shipment Identification Number</b>	O	AN	1/30	Used
		<b>Description:</b> Identification number assigned to the shipment by the shipper that uniquely identifies the shipment from origin to ultimate destination and is not subject to modification; (Does not contain blanks or special characters)				
B1003	140	<b>Standard Carrier Alpha Code</b>	M	ID	2/4	Must use
		<b>Description:</b> Standard Carrier Alpha Code				

## Data Sample:

B10\*NONE\*624158\*RCXB~

# N1 Name

<b>Pos: 050</b>	<b>Max: 1</b>
<b>Heading - Optional</b>	
<b>Loop: 0100</b>	<b>Elements: 4</b>

**Purpose:** To identify a party by type of organization, name, and code

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	<b>Entity Identifier Code</b>	M	ID	2/3	Must use
		<b>Description:</b> Code identifying an organizational entity, a physical location, property or an individual				
		<b>Code Name</b>				
		SH		Shipper		
N102	93	<b>Name</b>	X	AN	1/60	Used
		<b>Description:</b> Free-form name				
N103	66	<b>Identification Code Qualifier</b>	X	ID	1/2	Used
		<b>Description:</b> Code designating the system/method of code structure used for Identification Code (67)				
		<b>Code Name</b>				
		9		D-U-N-S+4, D-U-N-S Number with Four Character Suffix		
N104	67	<b>Identification Code</b>	X	AN	2/80	Used
		<b>Description:</b> Code identifying a party or other code				

## Data Sample:

N1\*SH\*HARRIS TEETER\*9\*0472793510001~

# LX Assigned Number

Pos: 130	Max: 1
Heading - Optional	
Loop: 0200	Elements: 1

**Purpose:** To reference a line number in a transaction set

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LX01	554	Assigned Number	M	N0	1/6	Must use

**Description:** Number assigned for differentiation within a transaction set

## Data Sample:

LX\*1~

# AT7 Shipment Status Details

Pos: 140	Max: 1
Heading - Optional	
Loop: 0205	Elements: 7

**Purpose:** To specify the status of a shipment, the reason for that status, the date and time of the status and the date and time of any appointments scheduled.

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
AT701	1650	<b>Shipment Status Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code indicating the status of a shipment				
		<b>Code Name</b>				
		CD Carrier Departed Delivery Location				
AT702	1651	<b>Shipment Status or Appointment Reason Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code indicating the reason a shipment status or appointment reason was transmitted				
		<b>Code Name</b>				
		NS Normal Status				
AT703	1652	<b>Shipment Appointment Status Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code indicating the status of an appointment to pick-up or deliver a shipment				
AT704	1651	<b>Shipment Status or Appointment Reason Code</b>	X	ID	2/2	Used
		<b>Description:</b> Code indicating the reason a shipment status or appointment reason was transmitted				
AT705	373	<b>Date</b>	X	DT	8/8	Used
		<b>Description:</b> Date expressed as CCYYMMDD				
AT706	337	<b>Time</b>	X	TM	4/8	Used
		<b>Description:</b> Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)				
AT707	623	<b>Time Code</b>	O	ID	2/2	Used
		<b>Description:</b> Code identifying the time. In accordance with International Standards Organization standard 8601, time can be specified by a + or - and an indication in hours in relation to Universal Time Coordinate (UTC) time; since + is a restricted character, + and - are substituted by P and M in the codes that follow				

## Data Sample:

AT7\*CD\*NS\*\*\*20251122~

# SE Transaction Set Trailer

Pos: 610	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 2

**Purpose:** To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

## Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SE01	96	<b>Number of Included Segments</b>	M	N0	1/10	Must use
		<b>Description:</b> Total number of segments included in a transaction set including ST and SE segments				
SE02	329	<b>Transaction Set Control Number</b>	M	AN	4/9	Must use
		<b>Description:</b> Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set				

## Data Sample:

SE\*6\*1000~