



Kroger EPRN - EDI856 guidelines

Advance Shipment Notification for Kroger Pharmacy orders

**Version: 4010 and 5010, EDI Standards :
X12 Final**

Author:	The Kroger Co.
Company:	The Kroger Co.
Publication:	8/9/2022
Trading Partner:	
Notes:	Kroger ISA ID :KROGEREPRN Kroger ISA Qualifier : ZZ

856 Ship Notice/Manifest

Functional Group=SH

Purpose: This X12 Transaction Set contains the format and establishes the data contents of the Ship Notice/Manifest Transaction Set (856) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to list the contents of a shipment of goods as well as additional information relating to the shipment, such as order information, product description, physical characteristics, type of packaging, marking, carrier information, and configuration of goods within the transportation equipment. The transaction set enables the sender to describe the contents and configuration of a shipment in various levels of detail and provides an ordered flexibility to convey information. The sender of this transaction is the organization responsible for detailing and communicating the contents of a shipment, or shipments, to one or more receivers of the transaction set. The receiver of this transaction set can be any organization having an interest in the contents of a shipment or information about the contents of a shipment.

Heading:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>
0200	BSN	Beginning Segment for Ship Notice	M	1		
0400	DTM	Date/Time Reference	O	10		

Detail:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>
LOOP ID - HL					200000	C2/0100L
0100	HL	Hierarchical Level	M	1		
2000	DTM	Date/Time Reference	O	10		
LOOP ID - N1					200	
2200	N1	Party Identification	O	1		
2400	N3	Party Location	O	2		
2500	N4	Geographic Location	O	1		
3350	YNQ	Yes/No Question	O	10		
LOOP ID - HL					200000	C2/0100L
0100	HL	Hierarchical Level	M	1		
0500	PRF	Purchase Order Reference	O	1		
LOOP ID - HL					200000	C2/0100L
0100	HL	Hierarchical Level	M	1		
1900	MAN	Marks and Numbers Information	O	>1		
LOOP ID - HL					200000	C2/0100L
0100	HL	Hierarchical Level	M	1		
0200	LIN	Item Identification	O	1		
0300	SN1	Item Detail (Shipment)	O	1		
0700	PID	Product/Item Description	O	200		
LOOP ID - N1					200	
2200	N1	Party Identification	O	1		
2400	N3	Party Location	O	2		
2500	N4	Geographic Location	O	1		
3350	YNQ	Yes/No Question	O	10		

Summary:

<u>Pos</u>	<u>Id</u>	<u>Segment Name</u>	<u>Req</u>	<u>Max Use</u>	<u>Repeat</u>	<u>Notes</u>
0100	CTT	Transaction Totals	O	1		N3/0100

Data Sample:

ISA*00* *00* *01*1111111111 *ZZ*KROGEREPRN *220502*0000*^*00501*019430111*0*P*>~
 GS*SH*1111111111*KROGEREPRN*20220502*0000*19412879*X*005010~
 ST*856*0001~
 BSN*00*2013700592*20220502*0000~
 DTM*009*20220502~
 HL*1**S~
 DTM*011*20220501~
 N1*SN*THE KROGER CO*92*701018~
 N1*ST*FRED MEYER STORE 0018 RX*11*000000~
 N3*7701 DEBARR ROAD~
 N4*ANCHORAGE*AK*99504-1894~
 N1*BY*FRED MEYER RX*92*701018~
 N3*3800 S.E. 22ND AVE.~
 N4*PORTLAND*OR*97242~
 N1*SF*SUPPLIER WAREHOUSE*11*RW0191813~
 N3*801 C STREET~
 N4*AUBURN*WA*98001-3902~
 N1*SE*SUPPLIER *91*191636844~
 N3*7000 Cardinal Place~
 N4*DUBLIN*OH*43017~
 YNQ**Y***Seller has complied with each applicable subsection of FDCA Sec. 581(27)(A)-(G)**99*TS~
 YNQ**Y***Product was purchased directly from the manufacturer, manufacturer's exclusive distributor or
 repackager who purchased directly from a manufacturer. COVID-19 Emergency Use Authorization Product is
 exempt from DSCSA. **99*DPS~
 HL*2*1*O~
 PRF*0009534***20220430~
 HL*3*2*P~
 MAN*GM*00400962957726241974~
 HL*4*3*I~
 LIN*38***N4*0000111111*VC*5417720~
 SN1**1*EA**1*EA~
 PID*F***STEGLATRO TB 15MG 90UU~
 N1*MF*MERCK CO INC*91*05963~
 N3*PO BOX 4~
 N4*WEST POINT*PA*19486-0004~
 YNQ**Y*****99*DIR~
 HL*5*2*P~
 MAN*GM*00400962957726241981~
 HL*6*5*I~
 LIN*14***N4*0000111112*VC*4502282~
 SN1**1*EA**1*EA~
 PID*F***ETHYL CHLORIDE AE 103.5ML MD STRM~
 N1*MF*GEBAUER COMPANY*91*05841~
 N3*4444 E 153RD ST~
 N4*CLEVELAND*OH*44128-2955~
 YNQ**N*****99*DIR~
 CTT*2~
 SE*43*0001~
 GE*1*19412879~
 IEA*1*019430111~

BSN Beginning Segment for Ship Notice

Pos: 0200	Max: 1
Heading - Mandatory	
Loop: N/A	Elements: 4

Purpose: To transmit identifying numbers, dates, and other basic data relating to the transaction set

Syntax Rules:

1. C0706 - If BSN07 is present, then BSN06 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
BSN01	353	Transaction Set Purpose Code	M	ID	2/2	Must use
Description: Code identifying purpose of transaction set						
Code Name						
00 Original						
BSN02	396	Shipment Identification	M	AN	2/30	Must use
Description: A unique control number assigned by the original shipper to identify a specific shipment						
BSN03	373	Date	M	DT	8/8	Must use
Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						
BSN04	337	Time	M	TM	4/8	Must use
Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSD, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99)						

Data Sample:

*BSN*00*2014154947*20220509*0206~*

DTM Date/Time Reference

Pos: 0400	Max: 10
Heading - Optional	
Loop: N/A	Elements: 2

Purpose: To specify pertinent dates and times

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

Description: Code specifying type of date or time, or both date and time

Code Name

009 Process

DTM02	373	Date	X	DT	8/8	Used
-------	-----	------	---	----	-----	------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Data Sample:

*DTM*009*20220509~*

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 2

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use
Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure						
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
Description: Code defining the characteristic of a level in a hierarchical structure						
Code Name						
S Shipment						

Data Sample:

HL*1**S~

DTM Date/Time Reference

Pos: 2000	Max: 10
Detail - Optional	
Loop: HL	Elements: 2

Purpose: To specify pertinent dates and times

Syntax Rules:

1. R020305 - At least one of DTM02, DTM03 or DTM05 is required.
2. C0403 - If DTM04 is present, then DTM03 is required.
3. P0506 - If either DTM05 or DTM06 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
DTM01	374	Date/Time Qualifier	M	ID	3/3	Must use

Description: Code specifying type of date or time, or both date and time

Code Name

011 Shipped

DTM02	373	Date	X	DT	8/8	Used
-------	-----	------	---	----	-----	------

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

Data Sample:

DTM*011*20220508~

N1 Party Identification

Pos: 2200	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use

Description: Code identifying an organizational entity, a physical location, property or an individual

Code Name

BY Buying Party (Purchaser)
SE Selling Party
SF Ship From
SN Store
ST Ship To

N102	93	Name	X	AN	1/60	Used
------	----	-------------	---	----	------	------

Description: Free-form name

N103	66	Identification Code Qualifier	X	ID	1/2	Used
------	----	--------------------------------------	---	----	-----	------

Description: Code designating the system/method of code structure used for Identification Code (67)

Code Name

11 Drug Enforcement Administration (DEA)
91 Assigned by Seller or Seller's Agent
92 Assigned by Buyer or Buyer's Agent

N104	67	Identification Code	X	AN	2/80	Used
------	----	----------------------------	---	----	------	------

Description: Code identifying a party or other code

Data Sample:

```
N1*SN*The Kroger Co*92*701018~
N1*ST*FRED MEYER STORE 0018 RX*11*0000000~
N1*BY*FRED MEYER RX*92*701018~
N1*SF*supplier Warehouse*11*RW0191813~
N1*SE*Supplier Name*91*191636844~
```


N3 Party Location

Pos: 2400	Max: 2
Detail - Optional	
Loop: N1	Elements: 1

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

Data Sample:

N3*311 BOONE STATION RD~

N4 Geographic Location

Pos: 2500	Max: 1
Detail - Optional	
Loop: N1	Elements: 3

Purpose: To specify the geographic place of the named party

Syntax Rules:

1. E0207 - Only one of N402 or N407 may be present.
2. C0605 - If N406 is present, then N405 is required.
3. C0704 - If N407 is present, then N404 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	X	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				

Data Sample:

N4*SHELBYVILLE*KY*40065-8673~

YNQ Yes/No Question

Pos: 3350	Max: 10
Detail - Optional	
Loop: HL	Elements: 4

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Syntax Rules:

1. E010910 - Only one of YNQ01, YNQ09 or YNQ10 may be present.
2. P0304 - If either YNQ03 or YNQ04 is present, then the other is required.
3. C0908 - If YNQ09 is present, then YNQ08 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use
		Description: Code indicating a Yes or No condition or response All valid standard codes are used.				
YNQ05	933	Free-form Message Text	O	AN	1/264	Used
		Description: Free-form message text				
YNQ08	1270	Code List Qualifier Code	X	ID	1/3	Used
		Description: Code identifying a specific industry code list				
		Code Name				
		99		Purpose Code		
YNQ09	1271	Industry Code	X	AN	1/30	Used
		Description: Code indicating a code from a specific industry code list				

Data Sample:

YNQ**Y***Seller has complied with each applicable subsection of FDCA Sec. 581(27)(A)-(G)***99*TS~

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Used
		Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
		Description: Code defining the characteristic of a level in a hierarchical structure				
		<u>Code</u> <u>Name</u>				
		O Order				

Data Sample:

HL*2*1*O~

PRF Purchase Order Reference

Pos: 0500	Max: 1
Detail - Optional	
Loop: HL	Elements: 2

Purpose: To provide reference to a specific purchase order

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PRF01	324	Purchase Order Number	M	AN	1/22	Must use
Description: Identifying number for Purchase Order assigned by the orderer/purchaser						
PRF04	373	Date	O	DT	8/8	Used
Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year						

Data Sample:

*PRF*158212787***20220508~*

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Used
		Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
		Description: Code defining the characteristic of a level in a hierarchical structure				
		<u>Code</u>	<u>Name</u>			
		P	Pack			

Data Sample:

HL*3*2*P~

MAN Marks and Numbers Information

Pos: 1900	Max: >1
Detail - Optional	
Loop: HL	Elements: 2

Purpose: To indicate identifying marks and numbers for shipping containers

Syntax Rules:

1. P0405 - If either MAN04 or MAN05 is present, then the other is required.
2. C0605 - If MAN06 is present, then MAN05 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
MAN01	88	Marks and Numbers Qualifier	M	ID	1/2	Must use

Description: Code specifying the application or source of Marks and Numbers (87)

Code Name

GM EAN.UCC Serial Shipping Container Code (SSCC) and Application Identifier

MAN02	87	Marks and Numbers	M	AN	1/48	Must use
-------	----	-------------------	---	----	------	----------

Description: Marks and numbers used to identify a shipment or parts of a shipment

Data Sample:

MAN*GM*00400962958028916904~

HL Hierarchical Level

Pos: 0100	Max: 1
Detail - Mandatory	
Loop: HL	Elements: 3

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure				
HL02	734	Hierarchical Parent ID Number	O	AN	1/12	Used
		Description: Identification number of the next higher hierarchical data segment that the data segment being described is subordinate to				
HL03	735	Hierarchical Level Code	M	ID	1/2	Must use
		Description: Code defining the characteristic of a level in a hierarchical structure				
		<u>Code</u>	<u>Name</u>			
		I	Item			

Data Sample:

HL*4*3*1~

LIN Item Identification

Pos: 0200	Max: 1
Detail - Optional	
Loop: HL	Elements: 4

Purpose: To specify basic item identification data

Syntax Rules:

1. P0405 - If either LIN04 or LIN05 is present, then the other is required.
2. P0607 - If either LIN06 or LIN07 is present, then the other is required.
3. P0809 - If either LIN08 or LIN09 is present, then the other is required.
4. P1011 - If either LIN10 or LIN11 is present, then the other is required.
5. P1213 - If either LIN12 or LIN13 is present, then the other is required.
6. P1415 - If either LIN14 or LIN15 is present, then the other is required.
7. P1617 - If either LIN16 or LIN17 is present, then the other is required.
8. P1819 - If either LIN18 or LIN19 is present, then the other is required.
9. P2021 - If either LIN20 or LIN21 is present, then the other is required.
10. P2223 - If either LIN22 or LIN23 is present, then the other is required.
11. P2425 - If either LIN24 or LIN25 is present, then the other is required.
12. P2627 - If either LIN26 or LIN27 is present, then the other is required.
13. P2829 - If either LIN28 or LIN29 is present, then the other is required.
14. P3031 - If either LIN30 or LIN31 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
LIN04	235	Product/Service ID Qualifier	X	ID	2/2	Used
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code Name						
N4 National Drug Code in 5-4-2 Format						
LIN05	234	Product/Service ID	X	AN	1/48	Used
Description: Identifying number for a product or service						
LIN06	235	Product/Service ID Qualifier	X	ID	2/2	Used
Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)						
Code Name						
VC Vendor's (Seller's) Catalog Number						
LIN07	234	Product/Service ID	X	AN	1/48	Used
Description: Identifying number for a product or service						

Data Sample:

LIN****N4*00023599230*VC*5478573~

SN1 Item Detail (Shipment)

Pos: 0300 Max: 1
 Detail - Optional
 Loop: HL Elements: 4

Purpose: To specify line-item detail relative to shipment

Syntax Rules:

1. P0506 - If either SN105 or SN106 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
SN102	382	Number of Units Shipped	M	R	1/10	Must use
Description: Numeric value of units shipped in manufacturer's shipping units for a line item or transaction set						
SN103	355	Unit or Basis for Measurement Code	M	ID	2/2	Must use
Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
		<u>Code</u> <u>Name</u>				
		EA Each				
		UN Unit				
SN105	380	Quantity	X	R	1/15	Used
Description: Numeric value of quantity						
SN106	355	Unit or Basis for Measurement Code	X	ID	2/2	Used
Description: Code specifying the units in which a value is being expressed, or manner in which a measurement has been taken						
		<u>Code</u> <u>Name</u>				
		EA Each				
		UN Unit				

Data Sample:

SN1**1*CT**1*EA~

PID Product/Item Description

Pos: 0700	Max: 200
Detail - Optional	
Loop: HL	Elements: 2

Purpose: To describe a product or process in coded or free-form format

Syntax Rules:

1. C0403 - If PID04 is present, then PID03 is required.
2. R0405 - At least one of PID04 or PID05 is required.
3. C0703 - If PID07 is present, then PID03 is required.
4. C0804 - If PID08 is present, then PID04 is required.
5. C0905 - If PID09 is present, then PID05 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
PID01	349	Item Description Type	M	ID	1/1	Must use

Description: Code indicating the format of a description

Code Name

F Free-form

PID05	352	Description	X	AN	1/80	Used
-------	-----	-------------	---	----	------	------

Description: A free-form description to clarify the related data elements and their content

Data Sample:

PID*F****ANDRODERM AP 4MG/24HR 30 C3~

N1 Party Identification

Pos: 2200	Max: 1
Detail - Optional	
Loop: N1	Elements: 4

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

1. R0203 - At least one of N102 or N103 is required.
2. P0304 - If either N103 or N104 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N101	98	Entity Identifier Code	M	ID	2/3	Must use
		Description: Code identifying an organizational entity, a physical location, property or an individual				
		Code Name				
		MF				Manufacturer of Goods
N102	93	Name	X	AN	1/60	Used
		Description: Free-form name				
N103	66	Identification Code Qualifier	X	ID	1/2	Used
		Description: Code designating the system/method of code structure used for Identification Code (67)				
		Code Name				
		91				Assigned by Seller or Seller's Agent
N104	67	Identification Code	X	AN	2/80	Used
		Description: Code identifying a party or other code				

Data Sample:

N1*MF*ALLERGAN INC*91*05281~

N3 Party Location

Pos: 2400	Max: 2
Detail - Optional	
Loop: N1	Elements: 1

Purpose: To specify the location of the named party

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N301	166	Address Information	M	AN	1/55	Must use

Description: Address information

Data Sample:

N3*DEPT LA 21457~

N4 Geographic Location

Pos: 2500	Max: 1
Detail - Optional	
Loop: N1	Elements: 3

Purpose: To specify the geographic place of the named party

Syntax Rules:

1. E0207 - Only one of N402 or N407 may be present.
2. C0605 - If N406 is present, then N405 is required.
3. C0704 - If N407 is present, then N404 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
N401	19	City Name	O	AN	2/30	Used
		Description: Free-form text for city name				
N402	156	State or Province Code	X	ID	2/2	Used
		Description: Code (Standard State/Province) as defined by appropriate government agency				
N403	116	Postal Code	O	ID	3/15	Used
		Description: Code defining international postal zone code excluding punctuation and blanks (zip code for United States)				

Data Sample:

N4*PASADENA*CA*91185~

YNQ Yes/No Question

Pos: 3350	Max: 10
Detail - Optional	
Loop: HL	Elements: 3

Purpose: To identify and answer yes and no questions, including the date, time, and comments further qualifying the condition

Syntax Rules:

1. E010910 - Only one of YNQ01, YNQ09 or YNQ10 may be present.
2. P0304 - If either YNQ03 or YNQ04 is present, then the other is required.
3. C0908 - If YNQ09 is present, then YNQ08 is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
YNQ02	1073	Yes/No Condition or Response Code	M	ID	1/1	Must use
		Description: Code indicating a Yes or No condition or response All valid standard codes are used.				
YNQ08	1270	Code List Qualifier Code	X	ID	1/3	Used
		Description: Code identifying a specific industry code list				
		<u>Code</u> <u>Name</u>				
		99 Purpose Code				
YNQ09	1271	Industry Code	X	AN	1/30	Used
		Description: Code indicating a code from a specific industry code list				

Data Sample:

```
YNQ**Y*****99*DIR~
```

CTT Transaction Totals

Pos: 0100	Max: 1
Summary - Optional	
Loop: N/A	Elements: 1

Purpose: To transmit a hash total for a specific element in the transaction set

Syntax Rules:

1. P0304 - If either CTT03 or CTT04 is present, then the other is required.
2. P0506 - If either CTT05 or CTT06 is present, then the other is required.

Element Summary:

<u>Ref</u>	<u>Id</u>	<u>Element Name</u>	<u>Req</u>	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>
CTT01	354	Number of Line Items	M	N0	1/6	Must use

Description: Total number of line items in the transaction set

Data Sample:

CTT*41~