<u>Kroger requires EDI 856 (ASN) transmissions be sent immediately after the truck door has</u> <u>closed.</u>

1. SHIPMENT SEGMENT

1.1 Transaction Set Purpose Code – BSN01

MUST USE

(00- Original, 01- Cancellation, 05-Replace)

Use Cases:

00- Original

The original EDI transmission after the truck door closed.

01-Cancellation

An EDI transmission to cancel an existing or 'Original' EDI transmission to indicate the shipment is no longer valid.

MUST INDICATE '01' TRANSACTION SET WITH THE SAME SHIPMENT ID & PURCHASE ORDER NUMBER AS THE ORIGINAL

05- Replace

2.

An EDI transmission to replace an existing or 'Original' EDI transmission to indicate that shipment Information has changed. For example, a truck has to return to vendor's facility because it's not properly weighted and adjustments are made.

MUST INDICATE '05' TRANSACTION SET WITH THE SAME SHIPMENT ID & PURCHASE ORDER NUMBER AS THE ORIGINAL

1.2 Hierarchical Structure Code – BSN05 Shipment, Order, Tare, Pack, Item	MUST USE
 1.3 Carrier Details – TD301 Use 'TL' qualifier Trailer (not otherwise specified) Use 'CN' qualifier for Container 	MUST USE
1.4 Carrier Details – TD303 Trailer number Container	MUST USE
1.5 Reference Information Use 'BM' qualifier to identify Bill of Lading Number Use '6B' qualifier to identify US Customs Service Entry Number	MUST USE
 1.6 Entity Identifier Code – N101 1.7 Identification Code Qualifier – N103 Use '9' qualifier to identify D-U-N-S Number with Four Character Suffix 	MUST USE MUST USE
ORDER SEGMENT 2.1 Purchase Order Number – PRF01	MUST USE

ASN FREQUENTLY ASKED QUESTIONS

	 2.2 Purchase Order Date – PRF04 2.3 Date/Time Qualifier Use '017' qualifier to identify Estimated Delivery for the Purchase Order Use '067' qualifier to identify Scheduled Delivery for the Purchase Order 	MUST USE MUST USE
3.	TARE SEGMENT 3.1 Marks and Numbers – MAN Use 'GM' qualifier to identify Serial Shipping Container Code (SSCC <i>Example: MAN*GM*00100578360007962774~</i>	MUST USE
	*Must match SSCC-18 number that is on the physical shipping label.	
4.	 PACK SEGMENT 4.1 Product/Service ID Qualifier – LIN02 Use 'PI' qualifier to identify item number on the purchase order. 	MUST USE
	4.2 Product/Service ID Qualifier – LIN04 Use 'UK' qualifier to identify case GTIN-14. <i>Example: LIN*PI*1001111090010*UK*1001111090101*</i> <u>Case GTIN-14 in this segment must match the GTIN on the physical label.</u>	
	4.3 Product/Service ID Qualifier – LIN06 Use 'LT' to identify Lot Number <i>Example: LIN*PI*1001111090010*UK*1001111090101*LT*02287X*</i> Lot number in this segment must match the lot number on the physical barcode la	MUST USE <u>bel.</u>
	4.4 Product/Service ID Qualifier – LIN08 Use 'CH' qualifier to identify Country of Origin Code	MUST USE
	Example: LIN*PI*1001111090010*UK*1001111090101*LT*O2287X*CH*MX~	
	4.5 Date/Time Qualifier Use '036' for Expiration Date Use '405' for Manufacturing/production/harvest date Use '511' Shelf-Life Expiration Use '510' Date Packed	MUST USE
	Example: DTM*510*20231019~ DTM*405*20230910~ DTM*511*20231022~ DTM*510*20230911~ Date(s) in this segment must match the date(s) on the physical barcode label.	
5.	ITEM SEGMENT	

5.1 Product/Service ID Qualifier – LIN02

MUST USE

Use 'UP' qualifier to identify UCC-12 or consumer UPC Example: LIN**UP*10078783015716~

5.2 Product/Service ID Qualifier – LIN04

Use 'UK' qualifier to identify GTIN-14 case UPC

* Kroger needs to be able to correlate consumer UPC to the case UPC

Example: LIN**UP*078783015716*UK* 10078783015716*